HERITAGE | HUNTER | CUSTOM BUILDER | PRESTIGE | ACCESSORIES

2012 COLLECTION

SINCE 1886

Hunter®

THE SINGULARITY OF HUNTER®. AN ARRAY OF DISTINCT COLLECTIONS.

Painstakingly designed and handcrafted for exceptional style and functionality. Built and tested for unmatched performance. Since 1886, Hunter® has set the standard for excellence.

The quality craftsmanship and innovative design of Hunter's ceiling fans can be found in each one of our unique collections—tailored to a wide variety of tastes and budgets.

HERITAGE | HUNTER | CUSTOM BUILDER | PRESTIGE | ACCESSORIES

FIVE REASONS IT HAS TO BE HUNTER®.

Every Hunter® ceiling fan has been painstakingly designed and crafted to be more than just attractive, and more than just another ceiling fan. These exclusive features are just a few of the reasons our customers have come to demand Hunter® performance time and time again.

EASY INSTALLATION

With the patented design of Hunter's EZ Hang® Mounting System, installing a Hunter® fan is simple and safe.

WHISPER-QUIET MOVEMENT

The WhisperWind® Motor, available on most models, delivers the cooling power you want, without the noise you don't.

WOBBLE-FREE® PERFORMANCE

Hunter's patented AVT® (Anti-Vibration Technology), featuring our unique, patented, triangular hanger-ball system, reduces torque for maximum stability.

LIFETIME GUARANTEE

Hunter's famous Limited Lifetime Motor Warranty is backed by the only company with 125 years in the fan business. So you get peace of mind with every purchase.

ENERGY EFFICIENCY

Hunter® is proud to offer ceiling fans and light kits with the ENERGY STAR® label, which identifies highly efficient products and designates superior energy performance.

For your convenience, we've included an informational energy chart on every ceiling fan page. Please note that the energy data provided is for fans running at high speed.

ENERGY STAR	Airflow	Electricity Use	Airflow Efficiency
	X,XXX cfm	XX w	XX cfm/w

36- to 48-inch ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute per watt at high speed.

49- to 60-inch ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

HUNTER® TIP

Remember, ceiling fans cool people, not rooms.
So turn the fan off when you leave the room to save energy.

QUIET FOR LIFE®

Our exclusive motor technology and mounting system ensure that each Hunter® fan is quiet and wobble-free. Just like every Hunter® fan since 1886. Quiet for Life®. That's our pledge to you.

HOW TO FIND THE RIGHT FAN.

With help from our experts, it's never been breezier to find the right Hunter® fan for you.

1 Determine the correct fan size based on room dimensions.

- Small rooms up to 10' x 10' → 30" to 48" fan
- Large rooms up to 20' x 20' → 50" to 54" fan
- Great rooms over 20' x 20' → 56" or larger fan

If you're unsure about the room dimensions, choose a larger fan to maximize your comfort at low or medium speed.

2 Select a style.

- For a coordinated look, match the blade finish to furniture or wood molding. Or, select a fan body finish that matches door or cabinet hardware.

3 Choose the appropriate fan mount and accessories based on ceiling height.

- Low ceilings (8') → Hunter® Low Profile® fan with motor housing that fits flush to the ceiling

- Standard or angled ceilings (up to 9') → Most Hunter® fans, with the Installer's Choice® Three-Position Mounting System



- High ceilings (9' +) → Add an extension downrod, purchased separately.

4 Get the light right.

- Choose a fan with a coordinated light fixture, or customize the fan with your choice of accessories.

See pages 72–78 for Hunter® light accessories.

5 Pick out a fan control.

- To operate your fan and light separately from a single switch without additional rewiring → Wall control
- For convenient, easy operation in bedrooms and rooms with high ceilings → Wireless remote control

See pages 82–83 for Hunter® remote controls.

Place your special order by giving the model number(s) of your selected item(s) to the store salesperson.
Thank you for choosing a Hunter® ceiling fan.

Table of Contents

- HERITAGE CEILING FANS 6
- HUNTER CEILING FANS 14
- CUSTOM BUILDER CEILING FANS 48
- PRESTIGE CEILING FANS 58
- ACCESSORIES 70
- FINISHES, SPECIFICATIONS & INDEX 84

A breath of fresh air for your home.

HERITAGE

Timeless Style.
A collection that celebrates the best of more than a century of cutting-edge innovation and craftsmanship. These designs continue to stand the test of time.

Outdoor Original® Ceiling Fan

18865
60" Midas Black with two Distressed Dark Cherry Basswood blades

1886 LIMITED EDITION®

A true Hunter® masterpiece is reborn with the elegant 1886 Limited Edition®. The intricate sand-cast motor housing and decorative rope downrod sleeve reflect Hunter's enduring attention to detail. A powerful and whisper-quiet Hunter® motor moves two perfectly balanced carved wood blades for exceptional air movement for years to come.

- Furniture grade veneer blades
- 14° blade pitch
- 172 x 20 mm motor
- 12" decorative downrod included for standard/ angled mounting
- Limited edition replica of turn-of-the century Tuerk fan model
- Detailed cast motor housing rotates with blades
- For use on nine foot or higher ceilings



Dimensions	
A:	23.98"
B:	22.50"
C:	5.13"
D:	9.80"
E:	5.40"
F:	—

Airflow	
	6,422 cfm
Electricity Use	
	76 w
Airflow Efficiency	
	84 cfm/w

23855
52" Antique Black with five Walnut/Oak blades

23852
52" Chestnut Brown with five Oak/ Walnut blades

23856
52" White with five White blades

CLASSIC ORIGINAL®

In the age of disposability, few products have earned the right to be called classics. Rest assured, the Classic Original® is one of them. This is a fan that has changed little in decades, yet is so far ahead of its time, it earns the EPA's Energy Star® Rating.

- Furniture grade veneer blades
- 15° blade pitch
- 210 x 20 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Optional controls available (see page 82 for details)

CHOOSE TO INSTALL YOUR CLASSIC ORIGINAL® WITH 5 BLADES— OR FOR A MORE TRADITIONAL LOOK, INSTALL 4 BLADES

22732
Oil for Hunter Original® fans



Dimensions	
A:	14.16"
B:	11.83"
C:	3.33"
D:	12.53"
E:	5.50"
F:	—

Airflow	
	6,947 cfm
Electricity Use	
	87 w
Airflow Efficiency	
	80 cfm/w

25601
Textured Black (blades sold separately)
See next page for Individual Elements® Accessory Blades (shown with 25673 Solid Teak blades)

22282
New Bronze with five Solid Teak blades

25602
White with four White plastic blades

OUTDOOR ORIGINAL®

ETL Damp Rated, the Outdoor Original™ is ideal for enclosed porches, covered patios, greenhouses and more.

- 52" and 55" blade span (see Individual Elements® on next page)
- 12° blade pitch
- 210 x 20 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Rated for damp locations

COVERED PORCH SERIES

22732
Oil for Hunter Original® fans



Dimensions	
A:	14.45"
B:	12.18"
C:	3.30"
D:	12.53"
E:	6.24"
F:	—

Airflow	
	7,501 cfm
Electricity Use	
	82 w
Airflow Efficiency	
	92 cfm/w

INDIVIDUAL ELEMENTS®

With the Hunter® Individual Elements® Blades, our fans are even more versatile. Create your own custom fan. Select the black Outdoor Original® Fan body. Then add a set of accessory fan blades to match your décor.

25673
52" Solid Teak blades

25676
55" Gossamer Brown synthetic wicker blades

25674
52" reversible Antique Dark plastic palm/wicker blades

22289
42" New Bronze with four
Walnut/Light Cherry blades

23827
42" White with
four White blades

CLASSIC ORIGINAL® – 42 INCH

Compact but never compromised, this is the Classic Original® revised for smaller spaces. A motor built to precise standards and a unique oil bath lubrication system mean your small rooms will be as cool and quiet as your big rooms, thanks to Hunter's 42" Classic Original.

- 10.5° blade pitch
- 172 x 15 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system

22732
Oil for Hunter Original® fans



Dimensions	
A:	14.00"
B:	12.00"
C:	3.30"
D:	10.00"
E:	5.50"
F:	—

Airflow	
	2,570 cfm
Electricity Use	
	62 w
Airflow Efficiency	
	41 cfm/w

23702
52" Satin Black with four Rough Hewn Cherry blades

HOTEL ORIGINAL®

With Hunter's patented Adaptair™ adjustable blade pitch technology, the Hotel Original® keeps your home cool in summer or warm in winter with ease. Simply adjust the blade pitch—from updraft to downdraft and vice versa—with a single lever. Designed before reversible electric motors, the Adaptair™ system represents our rich tradition of innovation.

- Furniture grade veneer blades
- Adaptair™ adjustable blade pitch technology
- 210 x 20 mm motor
- Indestructible cast iron housing
- Unique oil bath lubrication system
- Schoolhouse glass globe
- One 19w CFL bulb (75w equivalent)
- Optional controls available (see page 82 for details)

22732
Oil for Hunter Original® fans



Dimensions	
A:	—
B:	17.25"
C:	5.13"
D:	12.50"
E:	5.40"
F:	26.00"

Airflow	
	7,501 cfm
Electricity Use	
	82 w
Airflow Efficiency	
	92 cfm/w

HUNTER

Staying True to Our Name.

From modern and hip to traditional and elegant, this mainstream collection has something for everyone. Each design carries the same promise of quality and functionality that Hunter® delivers.

Domino Ceiling Fan

RIAZZI®

- WhisperWind® Motor
- EZ Hang® Mounting System
- Two-position mounting
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Limited lifetime warranty

23289
56" Brushed Nickel with five
Black/Cherry blades



Dimensions		Airflow
A:	—	5,734 cfm
B:	10.25"	
C:	3.07"	Electricity Use
D:	8.80"	65 w
E:	7.61"	
F:	18.75"	Airflow Efficiency
		89 cfm/w

STOCKBRIDGE™

- WhisperWind® Motor
- AVT™ Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

23963
70" New Bronze with five
Walnut/Medium Oak blades



Dimensions		Airflow
A:	12.70"	8,766 cfm
B:	11.10"	
C:	3.30"	Electricity Use
D:	12.30"	83 w
E:	7.20"	
F:	18.50"	Airflow Efficiency
		106 cfm/w

THE ROYAL OAK™

- WhisperWind® Motor
- AVT™ Hanging System
- Installer's Choice® Three-Position Mounting System
- Limited lifetime warranty
- Remote control included

23685
60" Antique Pewter with five
Walnut/Chestnut blades

23688
60" New Bronze with five
Dark Cherry/Medium Oak blades



Dimensions		Airflow
A:	14.70"	6,590 cfm
B:	11.75"	
C:	3.10"	Electricity Use
D:	14.10"	84 w
E:	7.17"	
F:	—	Airflow Efficiency
		78 cfm/w

CONCERT BREEZE™

- WhisperWind® Motor
- EZ Hang® Mounting System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses three 40w candelabra bulbs (included)
- Compatible with many audio sources such as MP3 players, televisions and stereos
- Wireless transmitter included
- Remote control included for separate operation of light and audio functions
- ETL Damp Listed for use in covered porches, patios and sunrooms (New Bronze model 21623 only)
- Limited lifetime warranty

21623
52" New Bronze with five Outdoor Walnut/ Outdoor Walnut Smooth Plastic blades

WE'VE BEEN QUIET FOR FAR TOO LONG.

Introducing Hunter's new Concert Breeze™ with Soundolier® Wireless Audio Technology—the first and only fan-sound system combination that blends the cool comfort of moving air with the rich beauty of audio.

Because a ceiling fan is typically centered overhead in the room, it's also the premium location for a speaker—literally showering sound down to everyone in the room.

The Concert Breeze™ utilizes a proprietary 2.4 GHz wireless system that's easily adapted to your television, stereo or any other audio source. Using four distinct stereo signal channels, this system virtually eliminates any wireless interference and transmits up to 300 feet away. And there are no extra wires to run.

Available exclusively from Hunter®, the new Concert Breeze™ is the perfect accompaniment to any room.

SOUNDOLIER®
Integrated Wireless Technologies

CONCERT BREEZE™
FAN, LIGHT & 360° AUDIO

21631
21632
Lamp

Note: Use model 21632 for Lamp and Maestro Transmitter Combo

21635
Subwoofer

Note: Requires receiver 21661 to become wireless

21660
Maestro Transmitter

21661
Wireless Receiver

21629
52" Brushed Nickel with five Cherry/Maple blades
Indoor only



KINGSBURY

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Limited lifetime warranty

23957
52" Roman Bronze with five Walnut blades

DUST ARMOR®



Dimensions		Airflow	
A:	13.93"		4,164 cfm
B:	11.35"	Electricity Use	
C:	2.68"		72 w
D:	11.06"	Airflow Efficiency	
E:	6.69"		58 cfm/w
F:	—		

THE KENSINGTON®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

20177
52" Brushed Nickel with five Cherry/Maple blades

20178
52" New Bronze with five Walnut/Cherry blades



Dimensions		Airflow	
A:	13.00"		4,925 cfm
B:	12.00"	Electricity Use	
C:	2.50"		66 w
D:	10.50"	Airflow Efficiency	
E:	6.75"		75 cfm/w
F:	18.80"		

AVENTINE®

- WhisperWind® Motor
- AVT® Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

28049
52" Cocoa with Spanish Gold Accents with five Dark Walnut/Cherried Walnut blades



Dimensions		Airflow	
A:	12.75"		5,677 cfm
B:	11.90"	Electricity Use	
C:	2.80"		73 w
D:	12.30"	Airflow Efficiency	
E:	7.20"		77 cfm/w
F:	19.50"		

VERNAZZA®

- WhisperWind® Motor
- AVT® Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

20551
52" Brushed Cocoa with five Aged Barnwood/Rustic Lodge blades



Dimensions		Airflow	
A:	13.60"		4,820 cfm
B:	11.75"	Electricity Use	
C:	2.80"		72 w
D:	12.10"	Airflow Efficiency	
E:	7.20"		67 cfm/w
F:	20.50"		

ITALIAN COUNTRYSIDE®

- WhisperWind® Motor
- AVT® Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

20552
52" Cocoa with five
Aged Barnwood/Cherried Walnut blades

DUST ARMOR®



Dimensions		Airflow
A:	14.20"	5,387 cfm
B:	13.30"	
C:	3.10"	Electricity Use
D:	14.25"	70 w
E:	7.20"	Airflow Efficiency
F:	20.70"	77 cfm/w

1912 MISSION®

- WhisperWind® Motor
- AVT® Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt iridescent art glass light fixture
- Uses two 60w candelabra bulbs (included)
- Limited lifetime warranty

21978
54" Bronze with five
Dark Cherry/Dark Walnut blades



Dimensions		Airflow
A:	—	6,379 cfm
B:	11.06"	
C:	2.60"	Electricity Use
D:	12.64"	74 w
E:	6.22"	Airflow Efficiency
F:	17.23"	86 cfm/w

REGAL OAK

- WhisperWind® Motor
- EZ Hang® Mounting System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

23958
52" Leather Brown with
Vieux Gold Highlights with five
Aged Barnwood/Original Walnut blades

Will be discontinued in 2012



Dimensions		Airflow
A:	13.83"	5,771 cfm
B:	12.80"	
C:	2.91"	Electricity Use
D:	12.94"	72 w
E:	9.57"	Airflow Efficiency
F:	20.98"	80 cfm/w

SKYLINE

- WhisperWind® Motor
- Two-position mounting
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

28704
52" Brushed Nickel with five
Eurasian Wood/Maple blades

DUST ARMOR®



Dimensions		Airflow
A:	13.66"	4,789 cfm
B:	12.08"	
C:	2.60"	Electricity Use
D:	8.15"	57 w
E:	6.69"	Airflow Efficiency
F:	18.11"	85 cfm/w

PALERMO™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 22-watt bowl light fixture
- Uses one 22w circleline CFL bulb (included)
- Limited lifetime warranty
- Remote control included

21627
52" Brushed Nickel with five Cherry/Maple blades

21628
52" Brushed Bronze with five Black/Walnut blades



Dimensions		Airflow
A:	—	6,707 cfm
B:	10.80"	Electricity Use
C:	2.83"	87 w
D:	12.50"	Airflow Efficiency
E:	7.20"	77 cfm/w
F:	14.60"	

CORTLAND®

- WhisperWind® Motor
- AVT® Hanging System
- Installer's Choice® Three-Position Mounting System
- 160-watt four-light fixture with decorative shades
- Uses four 40w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty



22720
54" Basque Black with Brushed Gold Accents with five Aged Ebony blades

22710
54" New Bronze with five Dark Cherry/Walnut blades



Dimensions		Airflow
A:	13.00"	5,934 cfm
B:	11.90"	Electricity Use
C:	3.60"	80 w
D:	12.10"	Airflow Efficiency
E:	7.54"	74 cfm/w
F:	22.50"	

STEWART

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt bowl light fixture
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty

28711
52" Bronze Patina with five Dark Walnut/Roasted Walnut blades



Dimensions		Airflow
A:	—	5,240 cfm
B:	9.77"	Electricity Use
C:	2.76"	66 w
D:	11.98"	Airflow Efficiency
E:	6.69"	80 cfm/w
F:	15.40"	

DOMINO

- WhisperWind® Motor
- Two-position mounting
- Integrated 80-watt downlight/80-watt uplight
- Uses four 40w candelabra bulbs (included)
- Limited lifetime warranty

28702
52" Antique Pewter with five Dark Maple/Rosewood blades



Dimensions		Airflow
A:	—	4,733 cfm
B:	11.47"	Electricity Use
C:	2.95"	59 w
D:	8.45"	Airflow Efficiency
E:	7.61"	80 cfm/w
F:	17.21"	

SONIC®

- WhisperWind® Motor
- 18-watt bowl light fixture
- Uses one 18w GU-24 CFL bulb (included)
- Limited lifetime warranty
- Remote control included



21591
50" White with four White/Maple blades

21585
52" Brushed Nickel with four Black/Maple blades



Dimensions	21591	21585
A:	—	
B:	10.50"	
C:	2.30"	
D:	10.60"	
E:	6.20"	
F:	15.30"	
Airflow	5,687 cfm	6,169 cfm
Electricity Use	69 w	73 w
Airflow Efficiency	82 cfm/w	84 cfm/w

THE VISTA®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 19-watt globe light fixture
- Uses one 19w CFL bulb (included)
- Can be installed without light kit
- Limited lifetime warranty



21539
52" White with five White/Light Oak blades

20531*
52" Brushed Nickel with five Cherry/Maple blades
*Model 20531 features an integrated 120-watt bowl light fixture and uses two 60w candelabra bulbs (included)

21539



Dimensions	21539
A:	12.50"
B:	11.50"
C:	2.50"
D:	11.88"
E:	6.75"
F:	18.25"
Airflow	4,861 cfm
Electricity Use	74 w
Airflow Efficiency	78 cfm/w

20531



Dimensions	20531
A:	13.07"
B:	11.56"
C:	2.55"
D:	11.85"
E:	6.18"
F:	18.81"
Airflow	4,861 cfm
Electricity Use	74 w
Airflow Efficiency	78 cfm/w

THE BROOKLINE®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

22451
52" Brushed Nickel with five Cherry/Maple blades

22465
52" New Bronze with five Dark Cherry/ Medium Oak blades

22455
52" Antique Brass with five Walnut/ Medium Oak blades

22431
52" Provençal Gold with five Light Cherry/ Medium Oak blades



22390
52" White with five White/ Bleached Oak blades



Dimensions	
A:	14.00"
B:	11.70"
C:	2.80"
D:	12.25"
E:	6.75"
F:	19.75"
Airflow	4,905 cfm
Electricity Use	63 w
Airflow Efficiency	78 cfm/w

THE ASTORIA™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

22459
52" New Bronze with five
Walnut/Medium Oak blades



22461
52" White with five
White/Light Oak blades

22460
52" Brushed Nickel with five
Cherry/Maple blades



Dimensions	
A:	12.50"
B:	11.50"
C:	2.50"
D:	12.25"
E:	6.75"
F:	18.75"

Airflow	4,696 cfm
Electricity Use	62 w
Airflow Efficiency	75 cfm/w

THE SONORA™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 26-watt bowl light fixture
- Uses one 26w CFL bulb (included)
- Can be installed without light kit
- Limited lifetime warranty

21434
52" New Bronze with five
Walnut/Cherry blades

21435
52" French Vanilla with
five French Vanilla/
Bleached Oak blades



21433
52" Antique Pewter with five
Black/Cherry blades



Dimensions	
A:	12.63"
B:	11.70"
C:	2.72"
D:	11.06"
E:	6.69"
F:	18.78"

Airflow	5,680 cfm
Electricity Use	77 w
Airflow Efficiency	74 cfm/w

FIVE MINUTE FAN®

- WhisperWind® Motor
- EZ Hang® Mounting System
- Installer's Choice® Three-Position Mounting System
- Easy Lock® Blades
- 90% pre-assembled for easy installation
- 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

23745
52" Brushed Nickel with five Cherry/Maple blades

23746
52" New Bronze with five Dark Cherry/Medium Oak blades

1. *Fan comes 90% pre-assembled*

2. *Attach to bracket and connect wires*

3. *Attach blades*

4. *Attach bowl*

The Five Minute Fan® ceiling fan can be installed by most users in five minutes or less. Five minute time interval does not include installation of mounting plate.



Dimensions		Airflow	
A:	12.70"		5,203 cfm
B:	11.80"	Electricity Use	
C:	3.10"		67 w
D:	11.10"	Airflow Efficiency	
E:	7.60"		78 cfm/w
F:	18.70"		

BEACHCOMBER®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty



22462
52" White with five White Beadboard/ White Plastic blades



Dimensions		Airflow	
A:	12.50"		5,213 cfm
B:	11.50"	Electricity Use	
C:	2.50"		67 w
D:	12.25"	Airflow Efficiency	
E:	6.75"		78 cfm/w
F:	18.75"		

CARIBBEAN BREEZE™

- WhisperWind® Motor
- AVT® Hanging System
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt wicker bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

21648
54" Textured White with five Cream Wicker blades

21647
54" Weathered Bronze with five Antique Dark Wicker blades



Dimensions		Airflow	
A:	14.50"		5,559 cfm
B:	13.40"	Electricity Use	
C:	3.13"		76 w
D:	9.00"	Airflow Efficiency	
E:	7.17"		73 cfm/w
F:	21.00"		

STUDIO SERIES®

- WhisperWind® Motor
- AVT™ Hanging System
- Installer's Choice® Three-Position Mounting System
- 160-watt four-light fixture
- Uses four 40w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty



25587
52" New Bronze with five Walnut/Cherry blades



20181
52" White with five White/Bleached Oak blades

20183
52" Brushed Nickel with five Cherry/Maple blades

20182
52" Antique Brass with five Walnut/Medium Oak blades

25579
52" Hunter Bright Brass Finish® with five Walnut/ Medium Oak blades

20184
52" Antique Pewter with five Dark Walnut/ Light Cherry blades



Dimensions	
A:	12.30"
B:	10.83"
C:	2.72"
D:	11.69"
E:	6.69"
F:	18.36"

Airflow	
	4,696 cfm
Electricity Use	
	62 w
Airflow Efficiency	
	75 cfm/w

THE SONTERA®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty
- Remote control included

22435
52" Antique Brass with five Walnut/Medium Oak blades

22434
52" White with five White/Bleached Oak blades

22438
52" Brushed Nickel with five Cherry/Maple blades

22436
52" Hunter Bright Brass Finish® with five Medium Oak/Walnut blades



Dimensions	
A:	12.50"
B:	11.50"
C:	2.50"
D:	12.25"
E:	6.75"
F:	18.00"

Airflow	
	5,091 cfm
Electricity Use	
	66 w
Airflow Efficiency	
	77 cfm/w

THE SAVOY®

- WhisperWind® Motor
- AVT™ Hanging System
- Installer's Choice® Three-Position Mounting System
- Limited lifetime warranty

20517
52" Matte Black with five
Walnut/Light Cherry blades



20516
52" White with five
White/Light Oak blades



20511
52" Antique Pewter with five
Black/Cherry blades

20510
52" Antique Brass
with five Rosewood/
Medium Oak blades

ENERGY STAR



Dimensions		Airflow	
A:	12.50"		5,348 cfm
B:	11.50"	Electricity Use	
C:	2.50"		71 w
D:	11.88"	Airflow Efficiency	
E:	6.75"		75 cfm/w
F:	—		

HUDSON™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Limited lifetime warranty

28531
42" New Bronze with five
Black Walnut/Medium Oak blades

28528
42" White with five
White/Light Oak blades

28530
42" Brushed Nickel with five
Maple/Cherry blades



Dimensions		Airflow	
A:	12.50"		4,791 cfm
B:	11.50"	Electricity Use	
C:	2.50"		66 w
D:	9.50"	Airflow Efficiency	
E:	6.75"		72 cfm/w
F:	—		

NEWSTEAD

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty

28703
46" New Bronze with five
Weathered Oak/Wine Country blades

DUST ARMOR



Dimensions		Airflow
A:	—	3,932 cfm
B:	11.72"	
C:	2.60"	Electricity Use
D:	9.50"	47 w
E:	6.69"	
F:	21.04"	Airflow Efficiency
		83 cfm/w

PAXTON®

- WhisperWind® Motor
- Two-position mounting
- Integrated 120-watt bowl light fixture
- Uses three 40w candelabra bulbs (included)
- Limited lifetime warranty



28872
48" Antique Pewter with five
Black/Cherry blades



Dimensions		Airflow
A:	—	4,778 cfm
B:	9.59"	
C:	2.72"	Electricity Use
D:	8.80"	66 w
E:	6.69"	
F:	16.43"	Airflow Efficiency
		72 cfm/w

ASHLYN®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Limited lifetime warranty

21879
42" Brushed Nickel with four
Cherry/Maple blades

DUST ARMOR



Dimensions		Airflow
A:	—	3,350 cfm
B:	11.52"	
C:	2.72"	Electricity Use
D:	9.50"	49 w
E:	6.69"	
F:	18.81"	Airflow Efficiency
		68 cfm/w

THE BAINBRIDGE®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 19-watt globe light fixture
- Uses one 19w CFL bulb (included)
- Can be installed without light fixture
- Limited lifetime warranty

20422
36" Textured White with five
White/Bleached Oak blades



Dimensions		Airflow
A:	13.46"	4,600 cfm
B:	11.46"	
C:	2.72"	Electricity Use
D:	9.50"	50 w
E:	6.69"	
F:	19.46"	Airflow Efficiency
		92 cfm/w

THE BEACON HILL™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Can be installed without light fixture
- Limited lifetime warranty

20431
42" Brushed Nickel with five Cherry/Maple blades



20436
42" White with five White/Light Oak blades

20430
42" Antique Brass with five Rosewood/Medium Oak blades

20434
42" Hunter Bright Brass Finish* with five Rosewood/ Medium Oak blades

20438
42" New Bronze with five Walnut/Cherry blades



Dimensions	
A:	12.50"
B:	11.50"
C:	2.50"
D:	9.50"
E:	6.75"
F:	18.00"

Airflow	4,013 cfm
Electricity Use	63 w
Airflow Efficiency	64 cfm/w

THE KENSINGTON®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 120-watt bowl light fixture
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

20179
42" New Bronze with five Dark Cherry/Medium Oak blades

20180
42" Brushed Nickel with five Cherry/Maple blades



Dimensions	
A:	12.51"
B:	10.39"
C:	2.55"
D:	9.72"
E:	6.20"
F:	19.06"

Airflow	3,354 cfm
Electricity Use	51 w
Airflow Efficiency	66 cfm/w

42" LOW PROFILE™ III

- WhisperWind® Motor
- Low profile design for low ceilings
- Limited lifetime warranty



23866
42" White with
four White blades

23871
42" Antique Pewter with
four Dark Walnut/Chestnut blades



Dimensions
A: 8.23"
B: 6.76"
C: —
D: 9.39"
E: —
F: —

52" LOW PROFILE™ III

- WhisperWind® Motor
- Low profile design for low ceilings
- Limited lifetime warranty

20807
52" Antique Pewter with five
Walnut/Light Cherry blades

20806
52" Hunter Bright Brass Finish* with
five Walnut/Medium Oak blades



20803
52" White with
five White blades



Dimensions
A: 9.38"
B: 7.41"
C: —
D: 12.50"
E: —
F: —

52" LOW PROFILE™ III PLUS

- WhisperWind® Motor
- 13-watt globe light fixture
- Uses one 13w CFL bulb (included)
- Can be installed without light kit
- Low profile design for low ceilings
- Limited lifetime warranty



20810
52" White with five
White blades

20801
52" Antique Pewter with five
Walnut/Light Cherry blades



Dimensions	
A:	9.40"
B:	7.50"
C:	—
D:	12.49"
E:	—
F:	15.70"

FANTASY FLYER®

- WhisperWind® Motor
- Low profile design for low ceilings
- Authentic replica of F4U Corsair
- Engine cowling housing design
- Airplane ceiling appliqué
- Limited lifetime warranty

24852
48" Blue with three
Gray blades



Dimensions	
A:	10.75"
B:	7.00"
C:	—
D:	14.00"
E:	—
F:	—

BASEBALL FAN

- WhisperWind® Motor
- 19-watt baseball glove light fixture
- Uses one 19w CFL bulb (included)
- Die-cast catcher's mitt housing
- Home plate ceiling appliqué
- Limited lifetime warranty



23252
44" Leather Look with four
Pine/Aluminum blades



Dimensions	
A:	11.00"
B:	8.50"
C:	2.40"
D:	12.00"
E:	5.20"
F:	17.50"

Airflow	
	3,000 cfm
Electricity Use	
	52 w
Airflow Efficiency	
	58 cfm/w

DREAMLAND®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 120-watt three-light fixture with decorative shades
- Uses three 40w candelabra bulbs (included)
- Can be installed without light kit
- Flowered motor housing
- Butterfly blade irons
- Limited lifetime warranty

23781
44" White with five Pink with
Flowers/Pink blades



Dimensions	
A:	12.66"
B:	11.92"
C:	2.60"
D:	9.50"
E:	6.69"
F:	18.21"

Airflow	
	3,908 cfm
Electricity Use	
	54 w
Airflow Efficiency	
	72 cfm/w

SEA AIR

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- ETL Wet Listed for use in covered and uncovered applications
- Tarnish resistant finish and hardware
- Limited lifetime warranty

23562
52" Weathered Brick with five
Medium Oak Plastic blades



23566
52" White with five
White Plastic blades

23568
52" Weathered Bronze with five
Medium Oak Plastic blades



Dimensions	
A:	12.40"
B:	9.40"
C:	2.10"
D:	12.90"
E:	6.20"
F:	—

Airflow	
	5,498 cfm
Electricity Use	
	58 w
Airflow Efficiency	
	95 cfm/w

FIVE MINUTE FAN®

- WhisperWind® Motor
- Two-position mounting
- Easy Lock® Blades
- 90% pre-assembled for easy installation
- ETL Damp Listed for use in covered porches, patios and sunrooms
- Limited lifetime warranty

21781
52" New Bronze with five
Black Mahogany Plastic blades

21782
52" White with five
White Plastic blades

1. *Fan comes 90% pre-assembled*

2. *Attach to bracket and connect wires*

3. *Attach blades*

The Five Minute Fan® ceiling fan can be installed by most users in five minutes or less. Five minute time interval does not include installation of mounting plate.



Dimensions	
A:	13.14"
B:	11.75"
C:	3.07"
D:	10.75"
E:	7.61"
F:	—

Airflow	
	4,893 cfm
Electricity Use	
	68 w
Airflow Efficiency	
	72 cfm/w

THE BEAUFORT™

- WhisperWind® Motor
- Two-position mounting
- 19-watt globe light fixture
- Uses one 19w CFL bulb (included)
- Can be installed without light kit
- ETL Wet Listed for use in covered and uncovered applications
- "No Rust" construction/ stainless steel hardware
- Limited lifetime warranty



23697
52" White with five
White Plastic blades



Dimensions	
A:	13.40"
B:	11.30"
C:	2.80"
D:	12.90"
E:	6.75"
F:	19.40"

Airflow	
	5,682 cfm
Electricity Use	
	66 w
Airflow Efficiency	
	85 cfm/w

SEA WIND®

- WhisperWind® Motor
- Low profile design for low ceilings
- ETL Damp Listed for use in covered porches, patios and sunrooms
- Limited lifetime warranty

23347
48" White with five
White Plastic blades



Dimensions	
A:	8.84"
B:	7.45"
C:	—
D:	12.49"
E:	—
F:	—

THE MARINER™

- WhisperWind® Motor
- Two-position mounting
- ETL Wet Listed for use in covered and uncovered applications
- Limited lifetime warranty

21958
52" New Bronze with five
Medium Oak Plastic blades



Dimensions	
A:	13.03"
B:	11.40"
C:	3.20"
D:	12.65"
E:	7.17"
F:	—

Airflow	
	5,716 cfm
Electricity Use	
	63 w
Airflow Efficiency	
	91 cfm/w

BAYVIEW™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- ETL Damp Listed for use in covered porches, patios and sunrooms
- Limited lifetime warranty



23980
54" Provençal Gold with five
Antique Dark Wicker/Antique
Dark Palm Leaf Plastic blades



23979
54" White with five White Wicker/
White Palm Leaf Plastic blades



Dimensions	
A:	13.35"
B:	12.20"
C:	2.76"
D:	9.50"
E:	6.70"
F:	—

Airflow	
	5,803 cfm
Electricity Use	
	74 w
Airflow Efficiency	
	78 cfm/w

— CUSTOM BUILDER —

Visions Brought to Life.

The Custom Builder collection was created to empower professionals. Add creative flair and quality craftsmanship to your masterpiece while staying on budget.

Builder Deluxe Ceiling Fan

PRO'S BEST®

- WhisperWind™ Motor
- Installer's Choice® Three-Position Mounting System
- 12° blade pitch
- 90% pre-assembled for easy installation
- Easy Lock® Blades
- Can be installed without light kit
- Limited lifetime warranty

28723
52" Brushed Nickel with five Chestnut/Blackened Rosewood blades and Swirled Marble glass bowl
(Uses one 26w pin-base CFL bulb, included)

28724
52" New Bronze with five Dark Cherry/Medium Oak blades and Swirled Marble glass bowl
(Uses one 26w pin-base CFL bulb, included)



28722
52" White with five White/Beech blades and Swirled Marble glass bowl
(Uses one 26w pin-base CFL bulb, included)

Five MinuteFan®

1. *Fan comes 90% pre-assembled*

2. *Attach to bracket and connect wires*

3. *Attach blades*

4. *Attach bowl*

The Five Minute Fan® ceiling fan can be installed by most users in five minutes or less. Five minute time interval does not include installation of mounting plate.

22067
Energy Saving GU24 CFL Bulb



Dimensions	
A:	13.09"
B:	11.49"
C:	3.07"
D:	11.69"
E:	7.61"
F:	19.55"

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,449 cfm	9 w	156 cfm/w
Medium	3,033 cfm	28 w	108 cfm/w
High	5,203 cfm	67 w	78 cfm/w

BUILDER DELUXE

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 12° blade pitch
- Uses two 60w candelabra bulbs (included)
- Can be installed without light kit
- Limited lifetime warranty

21810
52" New Bronze with five Brazilian Cherry/Stained Oak blades and Toffee glass

21808
52" White with five White/Beech blades and Snowflake Linen glass

21809
52" Brushed Nickel with five Stained Oak/Brazilian Cherry blades and Cased White glass



Dimensions	
A:	12.70"
B:	11.20"
C:	3.00"
D:	10.90"
E:	6.70"
F:	17.90"

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,907 cfm	11 w	182 cfm/w
Medium	3,298 cfm	28 w	119 cfm/w
High	5,102 cfm	67 w	76 cfm/w

SOUTHERN BREEZE®

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty

20175
42" Brushed Nickel with five Cherry/Maple blades and Frosted Ribbed glass



20176
42" White with five White/Bleached Oak blades and Frosted Ribbed glass



Dimensions	
A:	—
B:	10.50"
C:	2.72"
D:	9.74"
E:	6.69"
F:	17.30"

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,247 cfm	8 w	162 cfm/w
Medium	1,963 cfm	16 w	121 cfm/w
High	3,894 cfm	50 w	78 cfm/w

ARCHITECT SERIES™ PLUS

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 12° blade pitch
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty

26407
52" New Bronze with five Cherry/Walnut blades and Frosted glass

26406
52" Brushed Nickel with five Chestnut/Maple blades and Frosted glass

26404
52" Antique Brass with five Walnut/Medium Oak blades and Clear glass

26405
52" White with five Bleached Oak/White blades and Frosted glass



Dimensions	
A:	—
B:	11.30"
C:	2.77"
D:	11.10"
E:	6.70"
F:	18.50"

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,497 cfm	10 w	150 cfm/w
Medium	2,835 cfm	21 w	134 cfm/w
High	5,012 cfm	60 w	84 cfm/w

ARCHITECT SERIES™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 12° blade pitch
- Limited lifetime warranty

26417
52" White with five White/Bleached Oak blades

26418
52" Brushed Nickel with five Maple/Chestnut blades

26419
52" New Bronze with five Walnut/Cherry blades



Dimensions	
A:	12.60"
B:	11.30"
C:	2.77"
D:	11.10"
E:	6.70"
F:	—

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,497 cfm	10 w	150 cfm/w
Medium	2,835 cfm	21 w	134 cfm/w
High	5,012 cfm	60 w	84 cfm/w

BRIDGEPORT™

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 12° blade pitch
- ETL Damp Listed for use in covered porches, patios and sunrooms
- Limited lifetime warranty

28473
52" Textured Black with five Oak weatherproof plastic blades

28464
52" New Bronze with five Oak weatherproof plastic blades



28463
52" White with five White weatherproof plastic blades

Model 28473 will be discontinued in 2012

COVERED PORCH SERIES



Dimensions	
A:	13.20"
B:	11.10"
C:	3.15"
D:	11.70"
E:	7.20"
F:	—

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,497 cfm	10 w	153 cfm/w
Medium	3,086 cfm	27 w	115 cfm/w
High	5,372 cfm	67 w	81 cfm/w

ANAHEIM

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Automatically balances the fan to eliminate wobble
- 2½" and 6" downrods included
- Limited lifetime warranty

21201
54" Onyx Bengal with five Rustic Lodge/Cabin Home blades

21202
54" Brushed Nickel finish with five Cabin Home/Rustic Lodge blades

AUTO BALANCE® FAN
SELF-ADJUSTING BLADE BALANCING SYSTEM
GUARANTEED NOT TO WOBBLE



Dimensions	
A:	13.24"
B:	11.20"
C:	3.10"
D:	12.25"
E:	7.17"
F:	—

Fan Speed	Airflow	Electricity Use	Airflow Efficiency
Low	1,373 cfm	11 w	127 cfm/w
Medium	2,796 cfm	29 w	97 cfm/w
High	4,663 cfm	59 w	79 cfm/w

PRESTIGE

When Exceptional Doesn't Quite Cut It. We've taken Hunter® to the next level. Prestige offers our finest collection of fans—satisfying the demands of those who want the very best.

Headley Ceiling Fan

NEW

28790
64" Cocoa with five Dark Walnut/
Black Walnut veneer blades

HEADLEY

Kick back to casual with the Headley. Its 64-inch blade span makes it a comfortable addition to great rooms and game rooms—virtually any room where relaxation is the rule.

- WhisperWind® Motor
- Two-position mounting
- Limited lifetime warranty
- 6" downrod included
- For use on nine foot or higher ceilings



Dimensions	
A:	19.16"
B:	15.67"
C:	3.07"
D:	13.05"
E:	7.67"
F:	—

Airflow	7,540 cfm
Electricity Use	86 w
Airflow Efficiency	88 cfm/w

NEW

28789
64" Provence Crackle with five
Mahogany/Dark Walnut veneer blades

TORRENCE

A timeless classic that doesn't follow the trends, the Torrence is a model of enduring style with its Provence Crackle finish and rich Amber glass. This performer sets a new standard for air movement in fans of its size.

- WhisperWind® Motor
- Two-position mounting
- Integrated 42-watt three-light fixture
- Uses three 14w CFL bulbs (included)
- Limited lifetime warranty
- 6" downrod included
- Remote control included
- For use on nine foot or higher ceilings



Dimensions	
A:	—
B:	16.07"
C:	3.07"
D:	14.14"
E:	7.61"
F:	24.58"

Airflow	7,429 cfm
Electricity Use	84 w
Airflow Efficiency	88 cfm/w

NEW

28793
54" Antique Pewter with five
Blackened Pecan carved wood blades

TEAGUE

Relaxed yet refined, the Teague will add simple elegance to any room in your home. A modest style made stunning with Blackened Pecan carved wood blades and Antique Pewter finish.

- WhisperWind® Motor
- Two-position mounting
- Integrated 28-watt bowl light fixture
- Uses two 14w CFL bulbs (included)
- Limited lifetime warranty
- 2½" downrod included

CAN BE INSTALLED WITHOUT LIGHT KIT



Dimensions	
A:	13.20"
B:	11.90"
C:	2.70"
D:	13.50"
E:	6.70"
F:	18.10"

Airflow	
	6,064 cfm
Electricity Use	
	83 w
Airflow Efficiency	
	73 cfm/w

NEW

28792
52" Bronze Patina with five
Walnut carved wood blades

WHITTEN

Craftsman style meets modern functionality in this beautifully designed model. Made to look handcrafted with ornate, carved wood blades and light stain. Bronze patina finish adds that perfect touch.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty
- 3" downrod included



Dimensions	
A:	—
B:	11.73"
C:	2.72"
D:	11.55"
E:	6.69"
F:	20.67"

Airflow	
	5,675 cfm
Electricity Use	
	73 w
Airflow Efficiency	
	77 cfm/w

21806
54" Brushed Nickel with three
Coffee Beech veneer blades

EURUS

Named for the Greek god of the east wind, the Eurus makes a powerful statement in both form and function. A compelling contrast of clean lines and warm materials, this soft contemporary fan commands a presence in any room.

- WhisperWind™ Motor
- Two-position mounting
- Integrated light kit
- One 20w dimmable CFL bulb (included)
- Remote control included
- 5" downrod included
- Limited lifetime warranty



Dimensions	
A:	—
B:	12.00"
C:	3.00"
D:	9.70"
E:	7.60"
F:	18.20"

Airflow	
	6,103 cfm
Electricity Use	
	83 w
Airflow Efficiency	
	74 cfm/w

28830
52" Cocoa with five Antiqued Cherry
carved wood blades

BINGHAM

The Bingham enjoys the distinction of hand-carved wood blades, an upscale feature usually reserved for the most expensive fans. As a 52" fan that enhances the appearance of any room, it is a welcome addition to our line.

- WhisperWind™ Motor
- Installer's Choice® Three-Position Mounting System
- 3" downrod included
- Limited lifetime warranty

Model 20493 has been changed to 28830.



Dimensions	
A:	12.44"
B:	10.40"
C:	3.07"
D:	12.76"
E:	7.61"
F:	—

Airflow	
	5,013 cfm
Electricity Use	
	74 w
Airflow Efficiency	
	68 cfm/w

NEW

28791
46" Antique Brass with five Antique Halifax/
Antique Halifax Distressed blades

BIXBY

Timeless and elegant, this gorgeous fan is perfect for bringing a dash of class to any room—even smaller ones. A simple, classic look brought to life with Antique Halifax blades and Antique Brass finish.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- Integrated 180-watt three-light fixture
- Uses three 60w candelabra bulbs (included)
- Limited lifetime warranty
- 3" downrod included

DUST ARMOR



Dimensions		Airflow
A:	—	4,557 cfm
B:	11.66"	
C:	2.72"	Electricity Use
D:	11.55"	62 w
E:	6.69"	
F:	18.61"	Airflow Efficiency
		74 cfm/w

28421
36" Brushed Nickel with five
Maple/Cool Gray blades

28420
36" White with five White blades

ORBIT®

Pulling together the eclectic elements of a contemporary room can be frustrating. Armed with a dash of space-age whimsy, ORBit® makes it a breeze. With a blade span of only 36", ORBit® is small in size but big on performance.

- WhisperWind® Motor
- Installer's Choice® Three-Position Mounting System
- 2½" downrod included
- Limited lifetime warranty

Customize your fan with a light kit and finials to match the finish.
See pages 72-78.

DUST ARMOR



Dimensions		Airflow
A:	13.80"	3,822 cfm
B:	11.90"	
C:	3.20"	Electricity Use
D:	8.20"	50 w
E:	7.20"	
F:	—	Airflow Efficiency
		76 cfm/w

28419
52" Egyptian Bronze with five
Cherry/Walnut veneer blades

ST. MICHAELS®

The elegant classical leaf detail that graces the St. Michaels® motor housing and trim ring combines with the luxurious Amber Scavo glass light fixture to add the perfect finishing touches to a fan that's both stately and stylish.

- WhisperWind® Motor
- Low profile design
- Integrated 120-watt light fixture
- Uses two 60w candelabra bulbs (included)
- Limited lifetime warranty

CAN BE INSTALLED WITHOUT LIGHT KIT

DUST ARMOR



Dimensions		Airflow
A:	9.28"	3,322 cfm
B:	8.57"	
C:	—	Electricity Use
D:	12.49"	72 w
E:	—	
F:	15.10"	Airflow Efficiency
		46 cfm/w

NEW

28803
52" Distressed White with five
Distressed White Beadboard
weatherproof plastic blades

ORCHARD PARK

With its delightfully simple styling, the Orchard Park brings the airy feel of a secluded beach house to any room. Let this fan take you away from it all.

- WhisperWind® Motor
- Two-position mounting
- Limited lifetime warranty
- 2½" downrod included
- ETL Wet Listed for use in covered and uncovered applications

ENERGY STAR

DUST ARMOR

EXTREME ELEMENTS



Dimensions		Airflow
A:	13.32"	5,448 cfm
B:	12.00"	
C:	2.36"	Electricity Use
D:	11.00"	65 w
E:	6.41"	
F:	—	Airflow Efficiency
		84 cfm/w

ACCESSORIES

Beyond Fans.

Once you've found the perfect fan, add the right touches with our assortment of finishes, fixtures and fan accessories. Each made with the same quality and innovation that go into every Hunter® collection.

Tropical Light Kit

ILLUMI-HEAT™

- Decorative semi-flush light with built-in heater option
- Easily replaces standard ceiling light fixtures
- Wall mountable remote for separate operation of light and heat
- 700w PTC ceramic heating element (equivalent to 2,389 BTU/HR)
- Uses three 40w candelabra bulbs
- One-year warranty

21825
New Bronze with Italian Amber Scavo glass

21533
Chrome with Cased White glass

21817
Brushed Nickel with Swirled Marble glass

21824
White with Swirled Marble glass

Will be discontinued in 2012

LIGHT KITS

Include fitter, glass and finial (if applicable).

GREAT ROOM BOWL LIGHT KIT
28646 Cocoa
26w
Uses two 13w CFL bulbs (included)
14" w x 7.25" h

THREE-LIGHT SOFT CONTEMPORARY LIGHT KIT
28011 Brushed Nickel
28012 White
180w
Uses three 60w candelabra bulbs
10.5" w x 7" h
Looks great paired with the ORBit® fan

FOUR-LIGHT SOFT SQUARE BULLET SPOTLIGHT
28099 Brushed Nickel
28098 White
52w
Uses four 13w CFL bulbs (included)
Adjustable

ENERGY EFFICIENT LOW PROFILE WITH FROSTED GLASS
27218 White
22w
Uses one 22w circline bulb (included)
10" w x 4.25" h

10" LOW PROFILE WITH FROSTED ROSETTE GLASS
28306 White
26w
Uses two 13w CFL bulbs (included)
10" w x 4.25" h

10" LOW PROFILE WITH OPAL STEPPED GLASS
28299 White
28w
Uses two 14w CFL bulbs (included)
10" w x 4.25" h

OUTDOOR LIGHT KITS

MARINE II™ LOW PROFILE OUTDOOR GLOBE

28547 New Bronze
28511 Textured Black
28438 White
28548 Weathered Bronze
28398 Weathered Brick
26w
Uses two 13w CFL bulbs (included)
Rated for wet locations
10" w x 5" h

OUTDOOR GLOBE

22057 New Bronze
28388 White
28387 Textured Black
26w
Uses two 13w CFL bulbs (included)
Rated for wet locations
10.75" w x 4.5" h

OUTDOOR POLYCARBONATE KIT

28318 White
26w
Uses two 13w CFL bulbs (included)
Rated for wet locations
10" w x 5" h

TROPICAL DAMP RATED LIGHT KIT

21881
Includes finials in New Bronze and Brushed Cocoa
26w
Uses two 13w CFL bulbs (included)
Rated for damp locations
12.75" w x 7.2" h

DUAL USE LIGHT FIXTURES

Install on a ceiling fan or the ceiling.

SWIRLED MARBLE

28568
Includes finials in Brushed Nickel, White, New Bronze and Antique Brass
28w
Uses two 14w CFL bulbs (included)
12.75" w x 7.2" h

FROSTED

28573
Includes finials in Antique Brass, Hunter Bright Brass Finish® and New Bronze
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

ENERGY EFFICIENT FROSTED BOWL

28396
Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish® and White
30w
Uses one 30w circline bulb (included)
13.2" w x 3.5" h

ENERGY EFFICIENT SCAVO SNOWFLAKE BOWL

28395
Includes finials in Antique Brass, Brushed Nickel, New Bronze and White
30w
Uses one 30w circline bulb (included)
13.2" w x 3.5" h

KID'S BOWLS

Include glass and finial.

BOY'S ROOM LIGHT KIT

22380
120w
Uses two 60w candelabra bulbs
13.5" w x 6.5" h

GIRL'S ROOM LIGHT KIT

22381
120w
Uses two 60w candelabra bulbs
11.5" w x 4.75" h

BOWLS

Include glass and finial.

AMBER
28640
Includes finials in Weathered Bronze, Antique Brass and Cocoa
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

AMBER GRADATED
22324
Includes finials in Weathered Bronze and Antique Brass
120w
Uses two 60w candelabra bulbs
12.75" w x 7.2" h
Please note model number change scheduled for 2012. Model 22324 will become 28549.

AMBER LINEN
28641
Includes finials in Weathered Bronze and Antique Brass
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

AMBER SCAVO
22341
Includes finials in New Bronze and Weathered Bronze
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

WHITE LINEN
28591
Includes finials in White and Brushed Nickel
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

FROSTED OPAL
28592
Includes finials in White and Brushed Nickel
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

BOWLS

Include glass and finial.

SWIRLED MARBLE
28593
Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish® and White
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

SCAVO
28594
Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish® and White
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

SCULPTED SWIRLED MARBLE
28643
Includes finials in Antique Brass, Brushed Nickel, Hunter Bright Brass Finish® and White
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

ALABASTER BOWL LIGHT KIT
22343
Includes finials in Antique Brass and New Bronze
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

SWIRLED MARBLE CUSTOM BUILDER BOWL
21828
Includes finials in White and Brushed Nickel
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

AMBER CUSTOM BUILDER BOWL
21827
Includes finials in New Bronze and Antique Brass
26w
Uses two 13w CFL bulbs (included)
12.75" w x 7.2" h

2¼" ACCESSORY GLASS

For use on four-light fitters and adapters. Available in packages of four only.

28500
Swirled Marble

28501
Frosted Seeded

28507
Sculpted Frosted/Clear

28890
Amber

28891
Amber Gradated

28892
Amber Linen

28893
White Linen

28997
Tea Stain Heavy Scavo

GLOBES

Install on a ceiling fan globe fitter.

ORIGINAL® SCHOOLHOUSE GLOBE

25267 Antique Pewter*
25268 Weathered Bronze
25269 Satin White
25272 Antique Black

Includes fitter
Uses one 19w CFL bulb (included)
12" w x 8.7" h
**Will be discontinued in 2012*

10" OPAL SCHOOLHOUSE GLOBE

22555
Fitter sold separately
Glass only 10" w x 7" h
For use on globe fitters

8" OPAL SCHOOLHOUSE GLOBE

22515
Fitter sold separately
Glass only 9.5" w x 7" h
For use on globe fitters

CONTEMPORARY SCHOOLHOUSE GLOBE

22565
Fitter sold separately
Glass only 10.5" w x 5.5" h
For use on globe fitters

TWO CANDELABRA BASE A15 BULBS

22396 40-watt bulbs
452-lumen output
2,500-hour lifespan
Vibration-resistant filament for long life in a ceiling fan

ENERGY-SAVING GU24 CFL BULB

22067 26-watt bulb
10,000-hour lifespan
Compatible with models 28722, 28723, 28724, 21433, 21434 and 21435

SAWYER ART™ REPLICA BLADES

Add a Tropical Touch with Sawyer Art™ Replica Blade Designs!

The vibrant colors of Florida's Emerald Coast come alive in the dazzling paintings of Sunshine State artist Don Sawyer.

Compatible with 52" Studio Series™, 52" Low Profile™ III and 52" Low Profile™ III Plus

25678
Sawyer Art™ Hollywood Fish™

25681
Sawyer Art™ Sunflowers™

25680
Sawyer Art™ Sandcastle™

25677
Sawyer Art™ Magic Palm™

Will be discontinued in 2012

MIX+MATCH | KIDS™

Customize your Ashlyn® ceiling fan with your favorite mix+match | kids™ fan blades by Sweet Pea Gallery™. Choose one style or mix several together.

(Sweet Pea Gallery™ blades also fit 42" Low Profile™ III ceiling fan. Accessory blade designs shown sold separately.)

23991
Pink/Blue Surfboard

23989
Purple/Pink Flowers

23990
Fairy/Pink Dots

23992
Transportation/Sports

23993
Moon and Stars/Jungle

23994
Airplanes

23995
Turquoise Dots/Stripes

Will be discontinued in 2012

FITTERS & FINIAL PACKS

FOUR-LIGHT ADAPTER WITH INTEGRATED SWITCH HOUSING

28661 Hunter Bright Brass Finish*
28653 Brushed Nickel
28648 Weathered Bronze
28343 (28655) Weathered Brick*
28332 (28649) Provençal Gold*
28651 White
28652 Antique Brass
28656 Antique Pewter
28658 New Bronze
28660 Black
28654 Cocoa

Fitter only; glassware not included
Uses four 13w CFL bulbs (included)
4.5" w x 3.75" h
*Uses four 40w candelabra bulbs
Compatible with Anaheim™, Builder's Select®, Hudson™, Royal Oak, Savoy and 52" Low Profile™ III fans.
Please note models in parentheses will become new model numbers in 2012.

FOUR-LIGHT STRAIGHT ARM FITTER

28135 Hunter Bright Brass Finish*
22589 Matte Black
28136 Weathered Brick
28137 Iron
22574 (28134) Antique Brass*
22528 (28129) White*

Fitter only; glassware not included
Uses four 13w CFL bulbs (included)
9" w x 3.5" h
*Uses four 40w candelabra bulbs
Please note models in parentheses will become new model numbers in 2012.
Model 28137 will be discontinued in 2012.

FOUR-LIGHT FITTER

28128 Cocoa
28127 Weathered Bronze
28124 Antique Brass
28126 Brushed Nickel
28125 White

Fitter only; glassware not included
Uses four 13w CFL bulbs (included)
9" w x 5.5" h

CAP AND FINIAL PACKS

28915 Hunter Bright Brass Finish*
28916 Bronze Patina
28917 Weathered Brick
28918 Black
28921 Cocoa
28924 Chestnut Bronze
28904 Antique Pewter
28906 White
28908 Weathered Bronze
28909 Bronze
28910 Amber Bronze
28911 Satin White

Please note all cap and finial packs will be discontinued in 2012.

GLOBE FITTER

25252 Antique Brass
25253 Black
25255 Hunter Bright Brass Finish*
25257 Chestnut Brown
25263 New Bronze
25271 White
25264 Weathered Brick

Uses one 19w CFL bulb (included)

ANGLED CEILING MOUNTS

Up to 45° ceiling mount.

22170 Chestnut Brown

22171 Cocoa

22174 Black*

22172 Hunter Bright Brass Finish*

22175 Brushed Nickel

22176 White

22178 Antique Brass

27996 New Bronze

27980 Weathered Bronze

27992 Weathered Brick

27993 Iron**

27995 Antique Pewter

*Black can be used with Antique Black, Matte Black, Satin Black, Textured Black and Graphite
**Will be discontinued in 2012

EXTENSION DOWNRODS

More homes are being constructed with high ceilings. A Hunter® ¾" downrod sets the fan at the proper height for optimum performance. All Hunter® extension downrods match Hunter® fans for fit and finish, and have tapered threads for deeper engagement. All downrods are converting to single-threaded construction unless otherwise noted.



Finish	12"	18"	24"	36"	48"	60"	72"	Compatible Finishes
Antique Brass	22719	22729	26319	26329	26339	23190	23060	Burnished Copper, Estate Brass
Antique Pewter	28054	28055	28056	28057	28058	28059	28060	—
Black	25144	25145	25146	25147	25148	25149	25150	Antique Black, Matte Black, Satin Black, Textured Black, Graphite, Iron
Brittany Bronze	28979	28886	28980	28981	28887	28888	28889	Weathered Bronze, Burled Brown
Bronze Patina	28206	28207	28208	28209	28210	—	—	Amber Bronze, Antique Copper, Brushed Bronze, Satin Bronze
Brushed Nickel	26019	26020	26021	26022	26023	26024	26025	—
Burled Brown*	—	—	28966	28967	—	—	—	Brittany Bronze
Hunter Bright Brass Finish®	22713	22723	26313	26323	26333	23192	23062	—
Iron*	—	—	—	26014	26015	26016	—	Black
New Bronze	26041	26042	26043	26044	26045	26046	26047	Bronze, Brushed Cocoa, Leather Bronze, Provençal Gold, Roman Bronze, Rustic Bronze, Tuscan Gold, Egyptian Bronze
Provençal Gold	28224	28225	28226	28227	28228	—	—	New Bronze
Sand	28976	—	28977	28978	—	—	—	Harvest Wheat
Satin White*	—	28930	28931	28932	28933	—	28935	White
Weathered Brick*	22681	22682	22683	26010	26011	—	26013	Chestnut Brown
Weathered Bronze*	—	28267	28268	28269	—	—	—	Brittany Bronze
White	25136	25137	25138	25139	25140	25141	25142	Satin White
Extreme Elements Downrods • Rust-Proof Stainless Steel Construction								
Midnight Copper*	26496	26497	26498	26499	—	—	—	New Bronze
Satin White*	—	—	—	25159	—	—	—	—
Textured Black*	25161	25162	25163	25164	—	—	—	—
Weathered Brick*	26434	26435	26436	26437	—	—	—	New Bronze
Weathered Bronze*	26492	26493	26494	26495	—	—	—	New Bronze
Hunter Original® Downrods • Double-Threaded Construction								
Black	26302	26219	26227	26228	26229	23194	23064	—
Chestnut Brown	22711	22721	26331	26341	26351	23195	23065	Distressed Relic, Chestnut Bronze, Weathered Brick
New Bronze All-Weather	25998	25999	26007	26008	—	—	—	Midnight Copper, Weathered Brick, Weathered Bronze
Satin White All-Weather	28254	28255	28256	28257	28258	—	—	—
Textured Black All-Weather	26430	26431	26432	26433	—	—	—	—
White	22717	22727	26317	26327	26337	23197	23067	—

*Will be discontinued in 2012

REMOTE CONTROLS

27180
Three-Speed Stepped Control
- Two-wire installation—no extra wiring!
- Operates three fan speeds—high, medium and low
- Fan 1.6 amps
- Uses standard switchplate, not included
- One-year warranty

27181
Four-Speed Slide Control
- Two-wire installation—no extra wiring!
- Operates four fan speeds—high, medium, low and serenity
- Fan 1.6 amps
- Rocker switchplate not included
- One-year warranty

27182
Fan/Light Dual Slide Control
- Controls three fan speeds and full-range light dimming
- Installs in standard three-wire, single box wall switch
- Fan 1.6 amps; light 300 watts
- Rocker switchplate not included
- One-year warranty

27183
Fan/Light Dual Slide Control with Preset
- Controls four fan speeds and full-range light dimming
- Preset feature controls both fan and light at desired settings
- Installs in standard three-wire, single box wall switch
- Fan 1.6 amps; light 300 watts
- Rocker switchplate not included
- One-year warranty

27189
Original® Fan/Light Wall Control*
- Receiver fits between ceiling and canopy
- Controls three fan speeds and full-range light dimming
- Uses existing two wires for complete control of fan and lighting
- Fan 2.0 amps; light 300 watts
- Rocker switchplate not included
- One-year warranty

22691
Original® Three-Speed Stepped Control*
- Capacitor design provides whisper-quiet speed control
- Two-wire installation—no extra wiring!
- Fan 2.0 amps; light 300 watts
- One-year warranty

27187
Original® Fan/Light Remote Control*
- Receiver fits between ceiling and canopy
- Controls three fan speeds and full-range light dimming
- Uses existing two wires for complete control of fan and lighting
- Fan 2.0 amps; light 300 watts
- Comes with wall cradle for handheld remote control
- One-year warranty

22394
Original® Multiple Fan Speed Control*
- Can be used to control up to twelve 56"/52"/48" fans or twenty 42" fans wired on a single circuit
- Fan 15.0 amps; 120 volts; 60 cycles
- One-year warranty

*For use on Hunter Original® ceiling fans only.

27186
Fan/Light Universal Wall Remote Control
- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming
- Fan 1.0 amp; light 300 watts
- Rocker switchplate not included
- Battery powered
- One-year warranty

27206
Fan/Light Universal Remote Control
- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming
- Includes toggle switch to allow use of remote with compact fluorescent bulbs
- Comes with wall cradle for handheld remote control
- Fan 1.0 amp; light 300 watts
- One-year warranty

27210 (White) / 27224 (Desert Platinum)
Fan/Light Universal Remote Control
- Contemporary look that matches any décor
- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming and manual light operation with wall switch access plate
- Includes toggle switch to allow use of remote with compact fluorescent bulbs
- Comes with wall cradle for handheld remote control
- Fan 1.0 amp; light 300 watts
- One-year warranty

27157
Basic On/Off Remote Control
- On/off switch for fan and light operation
- Features illuminated LED activation for instant feedback
- Easy canopy installation with new compact receiver
- Can be used with compact fluorescent bulbs
- Fan 1.0 amp; light 300 watts
- One-year warranty
- Battery included

27208 (White) / 27209 (Desert Platinum)
Fan/Light Universal Remote Control
- Complete fan and light operation in a two-wire control
- Separate buttons for three fan speeds plus "Instant Off"
- Full-range light dimming and manual light operation with wall switch access plate
- Comes with wall cradle for handheld remote control
- Fan 1.0 amp; light 300 watts
- One-year warranty
- Battery included
- Includes toggle switch to allow use of remote with compact fluorescent bulbs
- Light delay feature allows safe exit from room as lights dim to off
- Digitally programmable for easier install—no more dip switches or jumpers

MOTOR FINISHES

Antique Black


Antique Brass

Antique Pewter

Basque Black

Blue

Bronze

Bronze Patina

Brushed Cocoa

Brushed Nickel

Chestnut Brown

Cocoa

Distressed White

Egyptian Bronze

French Vanilla


Hunter Bright Brass Finish®

Leather Brown

Note: Not all motor finishes available on every fan. Refer to fan page for available finishes.

MOTOR FINISHES

Leather Look

Matte Black

Midas Black

New Bronze

Onyx Bengal

Provençal Gold

Roman Bronze

Satin Black

Spanish Gold

Textured Black

Textured White

Vieux Gold

Weathered Brick

Weathered Bronze

White

BLADE FINISHES

Aged Barnwood


Aged Ebony

Aluminum

Antiqued Cherry Carved Wood

Antique Dark Palm Leaf


Antique Dark Wicker

Antique Halifax

Beech

Black

Black Mahogany Plastic

Black Walnut

Blackened Pecan Carved Wood

Blackened Rosewood

Bleached Oak

Brazilian Cherry

Cabin Home

Cherried Walnut

Cherry

Cherry Veneer

Chestnut


Coffee Beech Veneer

Cream Wicker


Dark Cherry

Dark Maple

Dark Walnut

Distressed Dark Cherry Basswood Veneer

Distressed White Beadboard Plastic

Eurasian Wood

French Vanilla


Gray

Light Cherry

Light Oak

Mahogany

Maple

Medium Oak

BLADE FINISHES

Medium Oak Plastic

Oak Plastic

Oak Veneer

Original Walnut

Outdoor Walnut Plastic


Outdoor Walnut Smooth Plastic

Pine


Pink

Pink with Flowers

Roasted Walnut

Rosewood

Rough Hewn Cherry Veneer

Rustic Lodge

Solid Teak

Stained Oak


Walnut

Walnut Carved Wood

Walnut Veneer

Weathered Oak


White


White Beadboard Plastic


White Palm Leaf Plastic


White Plastic


White Veneer

White Wicker Plastic


Wine Country

Note: Not all blade finishes available on every fan. Refer to fan page for available finishes.

SPECIFICATIONS



NAME	MODEL NUMBER	PAGE NUMBER	SIZE	BLADES	°PITCH	INCLUDES LIGHT	INCLUDES REMOTE	DUST ARMOR	CFM (HIGH)	CFM (MED)	CFM (LOW)	RPM (HIGH)	RPM (MED)	RPM (LOW)	WATTS	AMPS	A	B	C	D	E	F
1886 Limited Edition	18865	8	60	2	14	No	No	No	6422	3945	1828	190	117	63	76	0.64	23.98	22.50	5.13	9.80	5.40	—
Classic Original – 42 Inch	22289, 23827	12	42	4	10.5	No	No	No	2570	1717	1046	187	122	83	62	0.52	14.00	12.00	3.30	10.00	5.50	—
Classic Original	23852, 23855, 23856	9	52	4/5	15	No	No	No	6947	3989	3595	197	116	74	87	0.73	14.16	11.83	3.33	12.53	5.50	—
Hotel Original	23702	13	52	4	N/A	Yes	No	No	7501	4545	2706	270	167	100	82	0.68	—	17.25	5.13	12.50	5.40	26.00
Outdoor Original	22282	10	52	5	12	No	No	No	7501	4545	2706	257	145	92	82	0.71	14.45	12.18	3.30	12.53	6.24	—
Outdoor Original (motor only)	25601	10	N/A	N/A	N/A	No	No	No	VARIES BASED ON BLADES SELECTED								14.45	12.18	3.30	12.53	6.24	—
Outdoor Original	25602	10	52	4	12	No	No	No	7501	4545	2706	257	145	92	82	0.71	14.45	12.18	3.30	12.53	6.24	—
GREAT ROOM																						
Riazzi	23289	16	56	5	12	Yes	No	No	5734	3453	1892	122	77	42	65	0.54	—	10.25	3.07	8.80	7.61	18.75
Royal Oak, The	23685, 23688	17	60	5	12	No	Yes	No	6590	4200	1550	150	100	45	84	0.70	14.70	11.75	3.10	14.10	7.17	—
Stockbridge	23963	16	70	5	12	Yes	No	No	8766	5081	2207	106	62	33	83	0.70	12.70	11.10	3.30	12.30	7.20	18.50
LARGE ROOM																						
1912 Mission	21978	23	54	5	14.5	Yes	No	No	6379	3837	1803	180	110	50	74	0.64	—	11.06	2.60	12.64	6.22	17.23
Astoria, The	22459, 22460, 22461	28	52	5	12	Yes	No	No	4696	2817	1403	188	116	63	62	0.52	12.50	11.50	2.50	12.25	6.75	18.75
Aventine	28049	21	52	5	12	Yes	No	No	5677	3072	1547	186	107	60	73	0.60	12.75	11.90	2.80	12.30	7.20	19.50
Beachcomber	22462	31	52	5	12	Yes	No	No	5213	3100	1433	180	111	60	67	0.67	12.50	11.50	2.50	12.25	6.75	18.75
Brookline, The	22390, 22431, 22451, 22455, 22465	27	52	5	13	Yes	No	No	4905	2765	1393	168	98	55	63	0.67	14.00	11.70	2.80	12.25	6.75	19.75
Caribbean Breeze	21647, 21648	31	54	5	13	Yes	No	No	5559	3195	1602	161	90	47	76	0.70	14.50	13.40	3.13	9.00	7.17	21.00
Concert Breeze	21623, 21629	19	52	5	12	Yes	Yes	No	5061	2899	1477	194	113	66	73	0.60	12.92	11.78	3.10	12.25	7.60	18.60
Cortland	22710, 22720	25	54	5	12	Yes	No	No	5934	3168	1591	208	121	60	80	0.67	13.00	11.90	3.60	12.10	7.54	22.50
Domino	28702	25	52	5	13	Yes	No	Yes	4733	3374	2054	169	115	68	59	0.49	—	11.47	2.95	8.45	7.61	17.21
Five Minute Fan	23745, 23746	30	52	5	13	Yes	No	No	5203	2932	1514	176	106	60	67	0.54	12.70	11.80	3.10	11.10	7.60	18.70
Italian Countryside	20552	22	52	5	14	Yes	No	Yes	5387	2847	1402	158	90	49	70	0.59	14.20	13.30	3.10	14.25	7.20	20.70
Kensington, The	20177, 20178	20	52	5	12	Yes	No	No	4925	3155	1719	165	100	55	66	0.55	13.00	12.00	2.50	10.50	6.75	18.80
Kingsbury	23957	20	52	5	15	No	No	Yes	4164	2581	1443	148	87	48	72	0.59	13.93	11.35	2.68	11.06	6.69	—
Palermo	21627, 21628	24	52	5	15	Yes	Yes	No	6707	3690	1719	187	122	40	87	0.71	—	10.80	2.83	12.50	7.20	14.60
Regal Oak	23958	22	52	5	12	Yes	No	No	5771	3244	1713	180	103	55	72	0.60	13.83	12.80	2.91	12.94	9.57	20.98
Savoy, The	20510, 20511, 20516, 20517	34	52	5	12	No	No	No	5348	3412	1760	189	121	59	71	0.59	12.50	11.50	2.50	11.88	6.75	—
Skyline	28704	23	52	5	12	Yes	No	Yes	4789	3324	2079	164	116	67	57	0.46	13.66	12.08	2.60	8.15	6.69	18.11
Sonic	21585	26	52	4	12	Yes	Yes	Yes	6169	4101	1769	234	158	70	73	0.60	—	10.50	2.30	10.60	6.20	15.30
Sonic	21591	26	50	4	12	Yes	Yes	Yes	5687	3823	1871	258	175	90	69	0.59	—	10.50	2.30	10.60	6.20	15.30
Sonora, The	21433, 21434, 21435	29	52	5	13	Yes	No	No	5680	3351	1356	185	110	50	77	0.67	12.63	11.70	2.72	11.06	6.69	18.78
Sontera, The	22434, 22435, 22436, 22438	33	52	5	12	Yes	Yes	No	5091	2941	1499	170	107	60	66	0.56	12.50	11.50	2.50	12.25	6.75	18.00
Stewart	28711	24	52	5	12	Yes	No	Yes	5240	3354	1976	180	114	65	66	0.54	—	9.77	2.76	11.98	6.69	15.40
Studio Series	20181, 20182, 20183, 20184, 25579, 25587	32	52	5	12	Yes	No	No	4696	2817	1403	170	107	60	62	0.56	12.30	10.83	2.72	11.69	6.69	18.36
Vernazza	20551	21	52	5	12	Yes	No	No	4820	2625	1294	175	99	56	72	0.60	13.60	11.75	2.80	12.10	7.20	20.50
Vista, The	20531	26	52	5	12	Yes	No	No	4861	2757	1439	170	107	58	74	0.67	13.07	11.56	2.55	11.85	6.18	18.81
Vista, The	21539	26	52	5	14	Yes	No	No	4861	2757	1439	170	107	58	74	0.67	12.50	11.50	2.50	11.88	6.75	18.25

SPECIFICATIONS



NAME	MODEL NUMBER	PAGE NUMBER	SIZE	BLADES	*PITCH	INCLUDES LIGHT	INCLUDES REMOTE	DUST ARMOR	CFM (HIGH)	CFM (MED)	CFM (LOW)	RPM (HIGH)	RPM (MED)	RPM (LOW)	WATTS	AMPS	A	B	C	D	E	F
SMALL ROOM & OFFICE																						
Ashlyn	21879	36	42	4	13	Yes	No	Yes	3350	1840	1291	206	115	72	49	0.41	—	11.52	2.72	9.50	6.69	18.81
Bainbridge, The	20422	37	36	5	12	Yes	No	No	4600	2600	1200	230	120	95	50	0.43	13.46	11.46	2.72	9.50	6.69	19.46
Beacon Hill, The	20430, 20431, 20434, 20436, 20438	38	42	5	13	Yes	No	No	4013	2803	1620	237	161	90	63	0.51	12.50	11.50	2.50	9.50	6.75	18.00
Hudson	28528, 28530, 28531	35	42	5	13	No	No	No	4791	2941	1501	275	172	92	66	0.54	12.50	11.50	2.50	9.50	6.75	--
Kensington, The	20179, 20180	39	42	5	10	Yes	No	No	3354	2414	1365	221	152	80	51	0.41	12.51	10.39	2.55	9.72	6.20	19.06
Newstead	28703	36	46	5	12	Yes	No	Yes	3932	2287	1490	196	115	74	47	0.47	—	11.72	2.60	9.50	6.69	21.04
Paxton	28872	37	48	5	12	Yes	No	No	4778	2998	1632	216	154	88	66	0.54	—	9.59	2.72	8.80	6.69	16.43
LOW CEILING																						
42" Low Profile III	23866, 23871	40	42	4	13	No	No	No	2900	1400	1000	200	150	90	51	0.44	8.23	6.76	—	9.39	—	—
52" Low Profile III	20803, 20806, 20807	41	52	5	12	No	No	No	5000	2900	1500	170	107	60	66	0.56	9.38	7.41	—	12.50	—	—
52" Low Profile III Plus	20801, 20810	42	52	5	12	Yes	No	No	2934	1690	798	185	109	62	65	0.54	9.40	7.50	—	12.49	—	15.70
KID'S ROOM																						
Baseball Fan	23252	43	44	4	9	Yes	No	No	3000	1500	1000	210	150	90	52	0.44	11.00	8.50	2.40	12.00	5.20	17.50
Dreamland	23781	43	44	5	12	Yes	No	No	3908	2001	1132	225	122	75	54	0.44	12.66	11.92	2.60	9.50	6.69	18.21
Fantasy Flyer	24852	42	48	3	15	No	No	No	3000	1500	1000	210	150	90	52	0.44	10.75	7.00	—	14.00	—	—
OUTDOOR LIVING																						
Bayview	23979, 23980	47	54	5	12	No	No	No	5803	3422	2092	198	92	53	74	0.62	13.35	12.20	2.76	9.50	6.70	—
Beaufort, The	23697	46	52	5	13	Yes	No	No	5682	3648	1652	175	110	65	66	0.54	13.40	11.30	2.80	12.90	6.75	19.40
Five Minute Fan – Damp	21781, 21782	45	52	5	13	No	No	No	4893	2854	1453	185	115	61	68	0.57	13.14	11.75	3.07	10.75	7.61	—
Mariner, The	21958	46	52	5	12	No	No	No	5716	3632	1848	195	125	75	63	0.56	13.03	11.40	3.20	12.65	7.17	—
Sea Wind	23347	47	48	5	12	No	No	No	2813	2145	986	183	132	84	56	0.46	8.84	7.45	—	12.49	—	—
Sea Air	23562, 23566, 23568	44	52	5	12	No	No	No	5498	3466	1925	195	125	75	58	0.56	12.40	9.40	2.10	12.90	6.20	—
Anaheim	21201, 21202	57	54	5	12	No	No	No	4663	2796	1373	150	98	54	59	0.50	13.24	11.20	3.10	12.25	7.17	—
Architect Series	26417, 26418, 26419	55	52	5	12	No	No	No	5012	2835	1497	173	106	60	60	0.50	12.60	11.30	2.77	11.10	6.70	—
Architect Series Plus	26404, 26405, 26406, 26407	54	52	5	12	Yes	No	No	5012	2835	1497	173	106	60	60	0.50	—	11.30	2.77	11.10	6.70	18.50
Bridgeport	28463, 28464, 28473	56	52	5	12	No	No	No	5372	3086	1497	212	130	70	67	0.55	13.20	11.10	3.15	11.70	7.20	—
Builder Deluxe	21808, 21809, 21810	52	52	5	12	Yes	No	No	5102	3298	1907	169	103	58	67	0.55	12.70	11.20	3.00	10.90	6.70	17.90
Pro's Best	28722, 28723, 28724	51	52	5	12	Yes	No	Yes	5203	3033	1449	176	103	55	67	0.54	13.09	11.49	3.07	11.69	7.61	19.55
Southern Breeze	20175, 20176	53	42	5	10	Yes	No	No	3894	1963	1247	253	135	89	50	0.41	—	10.50	2.72	9.74	6.69	17.30
Bingham	28830	65	52	5	12	No	No	Yes	5013	3625	1923	187	133	65	74	0.61	12.44	10.40	3.07	12.76	7.61	—
Bixby	28791	66	46	5	12	Yes	No	Yes	4557	2917	1646	203	127	69	62	0.50	—	11.66	2.72	11.55	6.69	18.61
Eurus	21806	64	54	3	17	Yes	Yes	Yes	6103	3728	1909	172	97	51	83	0.69	—	12.00	3.00	9.70	7.60	18.20
Headley	28790	60	64	5	12	No	No	Yes	7540	4265	2339	124	69	35	86	0.73	19.16	15.67	3.07	13.05	7.67	—
ORBit	28420, 28421	67	36	5	18	No	No	Yes	3822	2769	1635	251	182	114	50	0.41	13.80	11.90	3.20	8.20	7.20	—
Orchard Park	28803	69	52	5	12	No	No	Yes	5448	3612	1848	206	138	68	65	0.55	13.32	12.00	2.36	11.00	6.41	—
St. Michaels	28419	68	52	5	14	Yes	No	Yes	3322	1787	879	205	117	66	72	0.59	9.28	8.57	—	12.49	—	15.10
Teague	28793	62	54	5	12	Yes	No	Yes	6064	3549	1940	169	96	49	83	0.71	13.20	11.90	2.70	13.50	6.70	18.10
Torrence	28789	61	64	5	12	Yes	Yes	Yes	7429	4285	2122	136	77	37	84	0.71	—	16.07	3.07	14.14	7.61	24.58
Whitten	28792	63	52	5	12	Yes	No	Yes	5675	3870	2097	208	133	67	73	0.59	—	11.73	2.72	11.55	6.69	20.67

ALPHABETICAL INDEX

MODEL NAME	MODEL NUMBER	PAGE NUMBER
1886 Limited Edition®	18865	8
1912 Mission®	21978	23
42″ Low Profile™ III	23866	40
42″ Low Profile™ III	23871	40
52″ Low Profile™ III	20803	41
52″ Low Profile™ III	20806	41
52″ Low Profile™ III	20807	41
52″ Low Profile™ III Plus	20801	42
52″ Low Profile™ III Plus	20810	42
Anaheim	21201	57
Anaheim	21202	57
Architect Series™	26417	55
Architect Series™	26418	55
Architect Series™	26419	55
Architect Series™ Plus	26404	54
Architect Series™ Plus	26405	54
Architect Series™ Plus	26406	54
Architect Series™ Plus	26407	54
Ashlyn®	21879	36
Aventine®	28049	21
Baseball Fan	23252	43
Bayview™	23979	47
Bayview™	23980	47
Beachcomber®	22462	31
Bingham	20493	65
Bingham	28830	65
Bixby	28791	66
Bridgeport™	28463	56
Bridgeport™	28464	56
Bridgeport™	28473	56
Builder Deluxe	21808	52
Builder Deluxe	21809	52
Builder Deluxe	21810	52
Caribbean Breeze™	21647	31
Caribbean Breeze™	21648	31
Classic Original®	23852	9
Classic Original®	23855	9
Classic Original®	23856	9
Classic Original® – 42 Inch	22289	12
Classic Original® – 42 Inch	23827	12
Concert Breeze™	21623	19
Concert Breeze™	21629	19
Cortland®	22710	25
Cortland®	22720	25
Domino	28702	25
Dreamland®	23781	43
Eurus	21806	64
Fantasy Flyer®	24852	42
Five Minute Fan®	21781	45
Five Minute Fan®	21782	45
Five Minute Fan®	23745	30
Five Minute Fan®	23746	30
Headley	28790	60
Hotel Original®	23702	13
Hudson™	28528	35
Hudson™	28530	35
Hudson™	28531	35
Individual Elements Blades – Antique Dark	25674	11
Individual Elements Blades – Gossamer Brown	25676	11
Individual Elements Blades – Solid Teak	25673	11
Italian Countryside®	20552	22
Kingsbury	23957	20
Newstead	28703	36
ORBit®	28420	67
ORBit®	28421	67
Orchard Park	28803	69
Outdoor Original®	22282	10
Outdoor Original®	25601	10
Outdoor Original®	25602	10
Palermo™	21627	24
Palermo™	21628	24
Paxton®	28872	37
Pro's Best®	28722	51
Pro's Best®	28723	50
Pro's Best®	28724	51
Regal Oak	23958	22
Riazzi®	23289	16
Sea Air	23562	44
Sea Air	23566	44
Sea Air	23568	44
Sea Wind®	23347	47
Skyline	28704	23
Sonic®	21585	26
Sonic®	21591	26
Southern Breeze®	20175	53
Southern Breeze®	20176	53
St. Michaels®	28419	68
Stewart	28711	24
Stockbridge®	23963	16
Studio Series®	20181	32
Studio Series®	20182	32
Studio Series®	20183	32
Studio Series®	20184	32
Studio Series®	25579	32
Studio Series®	25587	32
Teague	28793	62
The Astoria™	22459	28
The Astoria™	22460	28
The Astoria™	22461	28
The Bainbridge®	20422	37
The Beacon Hill™	20430	38
The Beacon Hill™	20431	38
The Beacon Hill™	20434	38
The Beacon Hill™	20436	38
The Beacon Hill™	20438	38
The Beaufort™	23697	46
The Brookline®	22390	27
The Brookline®	22431	27
The Brookline®	22451	27
The Brookline®	22455	27
The Brookline®	22465	27
The Kensington®	20177	20
The Kensington®	20178	20
The Kensington®	20179	39
The Kensington®	20180	39
The Mariner™	21958	46
The Royal Oak™	23685	17
The Royal Oak™	23688	17
The Savoy®	20510	34
The Savoy®	20511	34
The Savoy®	20516	34
The Savoy®	20517	34
The Sonora™	21433	29
The Sonora™	21434	29
The Sonora™	21435	29
The Sontera®	22434	33
The Sontera®	22435	33
The Sontera®	22436	33
The Sontera®	22438	33
The Vista®	20531	26
The Vista®	21539	26
Torrence	28789	61
Vernazza®	20551	21
Whitten	28792	63

NUMERICAL INDEX

MODEL NUMBER	MODEL NAME	PAGE NUMBER
18865	1886 Limited Edition®	8
20175	Southern Breeze®	53
20176	Southern Breeze®	53
20177	The Kensington®	20
20178	The Kensington®	20
20179	The Kensington®	39
20180	The Kensington®	39
20181	Studio Series®	32
20182	Studio Series®	32
20183	Studio Series®	32
20184	Studio Series®	32
20422	The Bainbridge®	37
20430	The Beacon Hill™	38
20431	The Beacon Hill™	38
20434	The Beacon Hill™	38
20436	The Beacon Hill™	38
20438	The Beacon Hill™	38
20493	Bingham	65
20510	The Savoy®	34
20511	The Savoy®	34
20516	The Savoy®	34
20517	The Savoy®	34
20531	The Vista®	26
20551	Vernazza®	21
20552	Italian Countryside®	22
20801	52" Low Profile™ III Plus	42
20803	52" Low Profile™ III	41
20806	52" Low Profile™ III	41
20807	52" Low Profile™ III	41
20810	52" Low Profile™ III Plus	42
21201	Anaheim	57
21202	Anaheim	57
21433	The Sonora™	29
21434	The Sonora™	29
21435	The Sonora™	29
21539	The Vista®	26
21585	Sonic®	26
21591	Sonic®	26
21623	Concert Breeze™	19
21627	Palermo™	24
21628	Palermo™	24
21629	Concert Breeze™	19
21647	Caribbean Breeze™	31
21648	Caribbean Breeze™	31
21781	Five Minute Fan®	45
21782	Five Minute Fan®	45
21806	Eurus	64
21808	Builder Deluxe	52
21809	Builder Deluxe	52
21810	Builder Deluxe	52
21879	Ashlyn®	36
21958	The Mariner™	46
21978	1912 Mission®	23
22282	Outdoor Original®	10
22289	Classic Original® – 42 Inch	12
22390	The Brookline®	27
22431	The Brookline®	27
22434	The Sontera®	33
22435	The Sontera®	33
22436	The Sontera®	33
22438	The Sontera®	33
22451	The Brookline®	27
22455	The Brookline®	27
22459	The Astoria™	28
22460	The Astoria™	28
22461	The Astoria™	28
22462	Beachcomber®	31
22465	The Brookline®	27
22710	Cortland®	25
22720	Cortland®	25
23252	Baseball Fan	43
23289	Riazzi®	16
23347	Sea Wind®	47
23562	Sea Air	44
23566	Sea Air	44
23568	Sea Air	44
23685	The Royal Oak™	17
23688	The Royal Oak™	17
23697	The Beaufort™	46
23702	Hotel Original®	13
23745	Five Minute Fan®	30
23746	Five Minute Fan®	30
23781	Dreamland®	43
23827	Classic Original® – 42 Inch	12
23852	Classic Original®	9
23855	Classic Original®	9
23856	Classic Original®	9
23866	42" Low Profile™ III	40
23871	42" Low Profile™ III	40
23957	Kingsbury	20
23958	Regal Oak	22
23963	Stockbridge®	16
23979	Bayview™	47
23980	Bayview™	47
24852	Fantasy Flyer®	42
25579	Studio Series®	32
25587	Studio Series®	32
25601	Outdoor Original®	10
25602	Outdoor Original®	10
25673	Individual Elements Blades – Solid Teak	11
25674	Individual Elements Blades – Antique Dark	11
25676	Individual Elements Blades – Gossamer Brown	11
26404	Architect Series™ Plus	54
26405	Architect Series™ Plus	54
26406	Architect Series™ Plus	54
26407	Architect Series™ Plus	54
26417	Architect Series™	55
26418	Architect Series™	55
26419	Architect Series™	55
28049	Aventine®	21
28419	St. Michaels®	68
28420	ORBit®	67
28421	ORBit®	67
28463	Bridgeport™	56
28464	Bridgeport™	56
28473	Bridgeport™	56
28528	Hudson™	35
28530	Hudson™	35
28531	Hudson™	35
28702	Domino	25
28703	Newstead	36
28704	Skyline	23
28711	Stewart	24
28722	Pro's Best®	51
28723	Pro's Best®	50
28724	Pro's Best®	51
28789	Torrence	61
28790	Headley	60
28791	Bixby	66
28792	Whitten	63
28793	Teague	62
28803	Orchard Park	69
28830	Bingham	65
28872	Paxton®	37

Look good. Feel good. Live good.

Hunter® ceiling fans have set the standard in quality and craftsmanship for 125 years. And now we take pride in applying those same principles to an extensive collection of home comfort products.

From stylish portable fans to cleansing air purifiers. From energy-saving thermostats to elegant bathroom fans. Hunter® provides every possible option for a stylish, comfortable, healthy home that's just the way you want it.

And, after all, isn't that what being at home is all about?

BATHROOM FANS

PORTABLE FANS

AIR PURIFIERS

HUMIDIFIERS

THERMOSTATS

Please visit **www.HunterFan.com** for more information.

Hunter

HUNTER FAN COMPANY
7130 Goodlett Farms Pkwy., Suite 400
Memphis, TN 38016
www.HunterFan.com
901.744.1200

© 2012 Hunter Fan Company

HCB-1771R